

RG PEDAL

Heavy Duty Construction

2 Channels with Gain and Level

True Bypass

EQ with Bass, Mid, Treble, Presence

Bass EQ Boost

Mid EQ Scoop

TSS Tone Stack Shift

Switch Channels or Bypass

True Bypass

PPS1 15 volt DC power supply

IMPORTANT SAFETY INSTRUCTIONS

- 1. Read these instructions. 2. Keep these instructions
- Heed all warnings.
 Follow all instructions.
- 5. Do not use this apparatus near water
- 6. Clean only with a dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions
- 8. Do not install near any heat sources such as radiators, heat registers, stoyes, or other apparatus (including 9. Do not defeat the safety purpose of the polarized or grounding- type plug. A polarized plug has two blad
- with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet 10. Protect the power cord from being walked on or pinched particularly at plugs,
- convenience receptacles, and the point where they exit from the apparatus 11. Only use attachments/accessories specified by the manufacturer
- 12. Use only with a cart, stand, tripod, bracket, or other unit specified by the manufacturer, of sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
- 13. Unplug this apparatus during lightning storms or when unused for long periods of time. 14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in anyway, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate

Randall Warranty

Randall Amplifiers, a Division of U.S. Music Corporation warrants the product you have purchased to be free of defects in materials and workmanship in normal use for a period of two (2) years from the date of original purchase. This warranty shall run to the original purchaser when purchased from an Authorized Randall Dealer. The manufacturer warrants speakers for a period of (1) years. The manufacturer warrants tubes for a period of (90) days. Defective parts found during the applicable warranty period with proof of purchase will be replaced or repaired without charge if the complete product is returned to US Music Corp or any Authorized Randall Service Center within the U.S.A. Randall reserves the right to use materials readily available at the time of the repair. All Warranty service requires Proof of Purchase (sales receipt) to be presented at time of service request. Any repair or service performed by any person of entity other than an Authorized Service Center is not covered by this limited warranty. The customer pays transportation to and from Randall factory service or any Randall Authorized Service Center. Rental stock is warranted for (1) year from date of invoice to the Authorized dealer. Warranty on rental units is not

What is covered against manufacturing defects Parts and Labor to correct any defect in materials used and any defect attributable to workmanship.

What is not covered:

Shipping Damage. Report damage upon receipt of item to the carrier (i.e. UPS). Freight carrier must be notified upon receipt of items to insure freight damage claim resolution. Shipping damage not filed with carriers within (48) hrs upon receipt will not be covered under warranty. Report any shipping damage within (48) hrs of receipt to the Randall Customer Service Dept at 1-800-877-6863, ext. 5120. Keep all original documents and packing materials to insure freight damage claim resolution. Merchandise that has been modified after original shipment from the Randall factory. Products whose serial numbers have been altered or removed. Exterior normal wear and tear damage to the finish due to misuse, operation outside the specified ratings, neglect or accident. Warranty claims by anyone other than the original purchaser. Randall is not responsible for any items left in protective covers or cases, (We strongly advise that all personal items such as chords, cables, tuners, etc... be removed!) freight charges to and from the factory or an Authorized service center on customer owned goods, any and all charges incurred from priority service requests (Rush Service) or priority shipping for replacement parts. Any and all charges if no problem is found.

Return Authorization

All items being returned for any reason must have a Return Authorization number. This RA# must be placed on the outside of the carton of the item being returned or the carton will be refused upon delivery. Please call the customer service department at 1-800-877-6863, ext. 5120, for the return authorization number. Dealer stock items will be returned to the dealer freight prepaid.

An Authorized Warranty Service Center must perform any and all field warranty service work. Customer will not pay for parts and/or labor provided the problem found is within warranty guidelines. Proof of purchase must be provided at the time of service request. Transportation charges to and from the Authorized Warranty Service Center are the responsibility of the customer. Rush service charges and special freight charges for required parts are not covered under warranty and are also the responsibility of the customer. If a unit is not easily transported to an authorized service center, the customer is responsible for technician travel charges. Any charges for labor or processing when no problem is found are also not covered under warranty. Any charges incurred for work performed by an unauthorized service center are the responsibility of the customer.

Warranty terms may very per country, check warranty terms with local Distributor or at point of purchase.





Model - RGOD OPERATION MANUAL

For detailed product videos please visit our website at :www.randallamplification.com

Congratulations on the purchase of your new *RANDALL* RGOD Pedal! We at Randall Amplification appreciate that you chose our brand of guitar instrument amplifiers and wish you years of great tone and enjoyable playing time with your new machine. Please review the safety instructions and be aware that the documentation provided in this manual.

Channel 1 Gain1:

This is the classic Randall FET overdrive channel-use gain knob to set amount of distortion and set volume to match other channels.

Gain 1 Volume:

This knob controls the overall signal feeding all of the output when Gain 1 is selected

Channel 2 Gain 2:

Same set up as Channel 2 but with much more available gain.

Gain 2 Volume:

This knob controls the overall signal feeding all of the output when Gain 1 is selected

Equalizer Section:

BASS - this knob will boost (+) or cut (-) Low Frequencies.

MIDDLE - this knob will boost (+) or cut (-) Midrange Frequencies. TREBLE - this knob will boost (+) or cut (-) High Frequencies.

PRESENCE - this knob will boost (+) or cut (-) Highest Frequencies.

1/4" line output:

No Speaker Emulation

- Connects to guitar amplifier input
- Connects to amplifier effects loop return
- Connects to power amp input
- Connects to next pedal in effects chain.
- Connect to recording interface
- Connect to a power amp and Speaker modeling product such as the "Two Notes C.A.B."



Connect included PPS1 external power supply unit here. Positive or negative center power supplies will work with a minimum of 9volts.

Note that power supply is auto ranging for global use but pins vary for each international region.

1/4"
instrument
input:
Plug your
guitar in
here!!!

Bass Boost button- boost low end "fattening" sound (use caution engaging this at high

Channel Switch:

Toggles between Gain 1 & Gain 2

Mid Boost: Removes midrange when depressed-

creates smiley face eq curve :)

Bypass switch Switches between true bypassed raw instrument signal to signal fed through electronics of this unit T.S.S. Switch: shifts the focal point of the midrange eq effecting the entire equalization curve